PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Convulsive Poison! Poisonous if swallowed. Do not breathe dust. Do not contaminate feed and food stuffs. Keep away from children, pets and domestic animals. Wash thoroughly with soap and water after handling and before eating or smoking. Clean clothing should be used

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Baits exposed on soil surface may be hazardous to birds to other wildlife. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply directly to food or feed crops.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a mar ner inconsistent with its labeling.

USE RESTRICTION\$

For use against Plains Pocket Gopher (Geomy's bursarius), Desert Pocket Gopher (Geomy's arenarius), Yellow-faced Pocket Copher (Pappogeomys castanops), Northern Picket Gopher (Changanys talpoides), Southern Pooleet Gopher (Thomomys umbrinus), Mazama Pocket Gester (Thomorrys mazama), Mountain Pocket Gopher (Themomys monticola), Townsend's Pocket Gopher (Normanys townsendii), Botta Pocket Gopher (Thomganys buttee). Camas Pocket Gopher (Thomganger hubryorus). Do not apply this product in residential side. Bait must be placed directly into underground burrow sys

BAITING,

Remove burrow plan from the flat side of the burrow fan. Use a long handled accompand insert 1 teaspoon bait into main runway system. Close tunner with soil. Do not permit soil to cover bait. Depending upon pocket gopher populations levels, one pound of bait will treat one to eight acres when applied by hand.

0.5% STRYCHNINE MILO FOR HAND BAITING POCKET **GOPHERS**

ACTIVE INGREDIENT Strychnine Alkaloid INERT INGREDIENTS 100.0% TOTAL

KEEP OUT OF THE REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY!

INess than (10) minutes have passed since the poison was taken, give 1 or 2 glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Have patient lie down an quiet, dankened room and keep him warm and quiet. Do not induce vomiting to pive anything by mouth to an unconscious per-

IF INHALED - Remove violan to fresh air Apply artificial respiration if indicated.

IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and

IF IN EYES Flush eyes with peoply of water. Get medical attention if irritation persists.

A Administer 1,00% OXYGEN by positive pressure to provide as much pulmonary gas exchange as possible despite seizures.

B. Administer ANTICONVULSANT DRUGS intravenously to control convulsions.

NOTICE: It may be difficult or impossible to stop the seizure activity without stopping respiration. Be prepared to maintain pulmonary ventilation mechanically. Tracheotomy may be necessary if seizures are prolonged.

> UNITED STATES DEPARTMENT OF AGRICULTURE ANIMAL AND PLANT HEALTH INSPECTION SERVICE Riverdale, MD 2037-1237 EPA Reg. No. 56228-19 EPA Est. No. 56229-ID-1

> > Net Weight

lbs.

STORAGE AND DISPOSAL

Do not coptaminate water food, or feed by storage of disposal.

BTORAGE: Store only in original container, in a dry place inaccessible to children, pets, and demestic animate.

PESTICIDE DISPOSAL: Pesticide wastes ere aputely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency or the Hazardous Wasta Representative at the nearest EPA Regional Officer for guidance

CONTAINER DISPOSAL: completely empty by sharing and tapping sides and bottoms to bosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sargiary landfill or by incineration if allowed by State and local authorities.